

Message

---

**From:** Barbery, Albert [albert.barbery@wv.gov]  
**Sent:** 3/28/2022 5:36:00 PM  
**To:** Vyas, Himanshu [vyas.himanshu@epa.gov]; Anderson, Connie J [Connie.J.Anderson@wv.gov]  
**Subject:** Re: Class VI public comments

Thank you, Himanshu.

We appreciate the update and assistance.

Sincerely,  
Albert

On Mon, Mar 28, 2022 at 1:07 PM Vyas, Himanshu <[vyas.himanshu@epa.gov](mailto:vyas.himanshu@epa.gov)> wrote:

Good afternoon Albert,

I just got word that HQ has engaged their contractor (the same one who has worked on WV primacy/draft regulations in the past) and it will take about two months (but could be sooner) to finish the crosswalk for your final regulations.

Himanshu Vyas  
Environmental Engineer  
U.S. EPA, Region III  
Source Water & UIC Section (3WD22)  
1650 Arch Street

Philadelphia, PA 19103-2029

Phone: 215-814-2112

"This email may contain material that is confidential, privileged and/or attorney work product and is for the sole use of the intended recipient. Any review, reliance or distribution by others or forwarding without express permission is strictly prohibited. If you are not the intended recipient, please contact the sender and delete all copies."

---

**From:** Barbery, Albert <[albert.barbery@wv.gov](mailto:albert.barbery@wv.gov)>  
**Sent:** Friday, March 25, 2022 10:17 AM  
**To:** Vyas, Himanshu <[vyas.himanshu@epa.gov](mailto:vyas.himanshu@epa.gov)>; Anderson, Connie J <[Connie.J.Anderson@wv.gov](mailto:Connie.J.Anderson@wv.gov)>  
**Subject:** Fwd: Class VI public comments

As in the forwarded email below, the WV UIC Rule update was final filed this month.

We would like to verify if the EPA will ask their contractors to begin the crosswalk?

Thank you in advance for your time & assistance,

Albert Barbery

Groundwater & UIC Programs

WVDEP - DWWM

----- Forwarded message -----

**From:** **Barbery, Albert** <[albert.barbery@wv.gov](mailto:albert.barbery@wv.gov)>  
**Date:** Wed, Mar 9, 2022 at 11:30 AM  
**Subject:** Re: Class VI public comments  
**To:** Vyas, Himanshu <[vyas.himanshu@epa.gov](mailto:vyas.himanshu@epa.gov)>  
**Cc:** Anderson, Connie J <[connie.j.anderson@wv.gov](mailto:connie.j.anderson@wv.gov)>, Charles T Brewer <[charles.t.brewer@wv.gov](mailto:charles.t.brewer@wv.gov)>

Greetings Himanshu,

The Rule 47CSR13 was filed as final today with the WV Secretary of State with the effective date of 03/09/2022.

On S.O.S. webpage: <https://apps.sos.wv.gov/adlaw/csr/ruleview.aspx?document=17482&KeyWord=>

Sincerely,

Albert

Albert Barbery

Groundwater & UIC Programs

WVDEP - DWWM

601 57th Street SE

Charleston, WV 25304

304-926-0499 x43769

On Tue, Mar 8, 2022 at 9:31 AM Vyas, Himanshu <[vyas.himanshu@epa.gov](mailto:vyas.himanshu@epa.gov)> wrote:

Ah, I didn't do the right search. This is much more helpful. Thank you so much!

Himanshu Vyas  
Environmental Engineer  
U.S. EPA, Region III  
Source Water & UIC Section (3WD22)  
1650 Arch Street

Philadelphia, PA 19103-2029

Phone: 215-814-2112

"This email may contain material that is confidential, privileged and/or attorney work product and is for the sole use of

the intended recipient. Any review, reliance or distribution by others or forwarding without express permission is strictly prohibited. If you are not the intended recipient, please contact the sender and delete all copies."

---

**From:** Barbery, Albert <[albert.barbery@wv.gov](mailto:albert.barbery@wv.gov)>  
**Sent:** Tuesday, March 08, 2022 9:26 AM  
**To:** Vyas, Himanshu <[vyas.himanshu@epa.gov](mailto:vyas.himanshu@epa.gov)>  
**Cc:** Anderson, Connie J <[connie.j.anderson@wv.gov](mailto:connie.j.anderson@wv.gov)>  
**Subject:** Re: Class VI public comments

For the comments received - that document and the transcript for the public hearing can be found as the 2 files labelled "Comments Received" on the Secretary of State's website:  
<https://apps.sos.wv.gov/adlaw/csr/ruleview.aspx?document=17482&KeyWord=>

Thanks,

Albert

----- Forwarded message -----

From: **Vyas, Himanshu** <[vyas.himanshu@epa.gov](mailto:vyas.himanshu@epa.gov)>  
Date: Mon, Mar 7, 2022 at 3:37 PM  
Subject: RE: Class VI public comments  
To: Anderson, Connie J <[connie.j.anderson@wv.gov](mailto:connie.j.anderson@wv.gov)>

Thanks so much, Connie!

Himanshu Vyas  
Environmental Engineer  
U.S. EPA, Region III  
Source Water & UIC Section (3WD22)  
1650 Arch Street

Philadelphia, PA 19103-2029

Phone: 215-814-2112

"This email may contain material that is confidential, privileged and/or attorney work product and is for the sole use of the intended recipient. Any review, reliance or distribution by others or forwarding without express permission is strictly prohibited. If you are not the intended recipient, please contact the sender and delete all copies."

---

**From:** Anderson, Connie J <[connie.j.anderson@wv.gov](mailto:connie.j.anderson@wv.gov)>

**Sent:** Monday, March 07, 2022 3:35 PM

**To:** Vyas, Himanshu <[vyas.himanshu@cpa.gov](mailto:vyas.himanshu@cpa.gov)>

**Subject:** Re: Class VI public comments

Hi,

I know you are very busy with your move, so I appreciate you for taking time to work on this for WV.

Yes, all the comments were addressed. I have a meeting on the Rule in the morning and will have everything in

front of me then, so I will see if there is anything at all in addition to what's found on the Secretary of State website.

I don't think so, but will verify and notify you promptly.

Thanks,

Connie

On Mon, Mar 7, 2022 at 3:30 PM Vyas, Himanshu <[vyas.himanshu@cpa.gov](mailto:vyas.himanshu@cpa.gov)> wrote:

Hi Connie,

Our HQ office is asking what comments you received regarding Class VI when you had the draft rule out for public comment. I noticed the public comments and WV's response were posted on the Secretary of State's web site here:

<https://apps.sos.wv.gov/adlaw/csr/readfile.aspx?DocId=54639&Format=PDF>

Just checking to see if the linked document covered all comments received, or only a partial list. I know it has comments for the whole rule, not just for Class VI, and that's ok.

Thanks,

Himanshu Vyas  
Environmental Engineer  
U.S. EPA, Region III  
Source Water & UIC Section (3WD22)  
1650 Arch Street

Philadelphia, PA 19103-2029

Phone: 215-814-2112

"This email may contain material that is confidential, privileged and/or attorney work product and is for the sole use of the intended recipient. Any review, reliance or distribution by others or forwarding without express permission is strictly prohibited. If you are not the intended recipient, please contact the sender and delete all copies."